



BIOLINK[®]

Insect & Bird Repellent

Keep Out of Reach of Children

WARNING
Causes Eye Irritation

**Refer to back panel for First Aid and
Precautionary Statements.**

Manufactured by:
SAN Group Biotech USA, Inc.
1260 Avenida Chelsea, Vista,
CA 92081 USA • Tel. (800) 876-2767
www.san-agrow.com
WSDA Reg. No. 51517-22002



Active Ingredient:

Garlic20.14%

Other Ingredients*:.....79.86%

TOTAL100.0%

*Water, Citric Acid

This product is FIFRA 25(b) exempt. All ingredients are exempt from tolerance requirements under 40 CFR 180.

Net Content:
2.5 Gallons (9.46 L)

BIOLINK[®]

Insect & Bird Repellent

PRODUCT INFORMATION

Repels insects such as aphids, beetles, borers, caterpillars, earwigs, flies, leafhoppers, leafrollers, lygus bugs, mealy bugs, mites, moths, scales, slugs, thrips, weevils, whiteflies, and other plant feeding insects. Also for repelling birds, deers, field mice, rabbits and other animal pests.

For use on all crops including fruits and vegetables, fruit trees, vines, tree nuts, field and row crops, ornamental trees, shrubs and flowers, containerized plants, and turf.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Signal Word: **WARNING**

Hazard Statement: Causes eye irritation.

Precautionary Statements: Wear protective eye wear such as goggles or face shield. Wear waterproof gloves. Avoid contact with eyes, skin, or clothing. Do not ingest. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. If symptoms persist, call a doctor for treatment advice.

USE RESTRICTIONS AND CAUTIONS

Not warranted to kill insects. This product is a repellent. Do not apply within 12 hours of crop harvest. Do not apply if rain is forecasted or overhead watering occurs within 12 hours.

POLLINATION WARNING: MAY REPEL BEES. BioLink[®] Insect & Bird Repellent may repel bees. Do not apply less than three days prior to pollination.

APPLICATION RATES

Ground, Chemigation or Aerial Applications: ½ to 4 quarts per acre. Use higher rates for heavier pest infestations. **Do not spray to point of run-off.**

Nursery & Container: ½ to 1 quart per 100 gallons of buffered water.

Home & Garden: 2 to 4 ounces per gallon of water. Spray plant foliage thoroughly including underside of leaves.

MIXING INSTRUCTIONS

General mixing instructions: Shake container well or stir contents thoroughly before adding BioLink[®] Insect & Bird Repellent to the spray tank. After mixing, agitate spray tank-mix before and during application to prevent settling.

Buffering instructions for agricultural and large scale uses: Spray tank pH must be adjusted to 5.5 to 6.0 before adding BioLink[®] Insect & Bird Repellent to the spray tank. Recommended buffering agents are BioLink Acidifier, citric acid, acetic acid, phosphoric acid or aliphatic polycarboxylate-type materials. Do not buffer with propionic acid or similar products that affect biologically active products. After mixing, agitate spray tank-mix before and during application to prevent settling.

Tank mixing with other products: It is strongly recommended to perform a standard compatibility jar test. If tank-mixing with other pesticides, use the recommended label rates of the other pesticides until exact tank-mixed product performance is determined. Always test a small plot for phytotoxicity before applying the spray mix.

APPLICATION TIMING AND PEST PRESSURE

When using BioLink[®] Insect & Bird Repellent, the optimum pest pressure to start application is 0–5%. Repeat application timing should be 8–14 days, or as determined by field scouting reports of pest pressure, plant nutrition and temperature.

SPRAY TEMPERATURE: The optimum temperature range to apply BioLink[®] Insect & Bird Repellent is 70°–90°F (21°–32°C). Minimum recommended application temperature is 50°F (10°C). Maximum recommended application temperature is 100°F (38°C). For applications above 100°F, higher spray volumes (more than 40 gallons per acre) are recommended after there has been a minimum of a 15°F (9°C) drop in air temperature.

SPRAY ADJUVANTS: To maximize the effectiveness of BioLink[®] Insect & Bird Repellent add 4 ounces of Xena[®] Spreader-Sticker per 100 gallons water per acre. Silicone-based or non-ionic surfactants are strongly recommended to increase product coverage and absorption. **If BioLink[®] Insect & Bird Repellent is not rapidly absorbed by the foliage, it will not be effective.**

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Do not store near heat or open flame. Keep in original container. Store in cool, dry place. Protect from excessive heat. Do not store below 4°C as product will freeze.

Disposal: Do not reuse container. Triple rinse and offer empty containers for recycling according to local, state and federal regulations.

NOTICE OF WARRANTY – SAN Group Biotech USA, Inc., warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of SAN Group Biotech USA, Inc., in no case shall SAN Group Biotech USA, Inc., be liable for consequential, special or indirect damages resulting from the use or handling of this product. SAN Group Biotech USA, Inc. MAKES NO WARRANTIES OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.



Manufactured by:
SAN Group Biotech USA, Inc.
1260 Avenida Chelsea, Vista,
CA 92081 USA • Tel. (800) 876-2767
www.san-agrow.com



NET CONTENTS/NET WEIGHT:

■ 2.5 Gallon (9.46 L) / 21.3 Lbs (9.66 Kg)

BioLink[®] is a registered trademark of SAN Group Biotech USA, Inc. Rev 23047