



Organic

TRIGGRR[®]

0-0-1

For All Organically Grown Crops

GUARANTEED ANALYSIS:

Soluble Potash (K_2O)1.0%

DERIVED FROM: Kelp and plant extracts.

Keep Out of Reach of Children

Shake Well Before Using

Manufactured & Guaranteed by:

SAN Group Biotech USA, Inc.

1260 Avenida Chelsea, Vista,
CA, 92081 USA · Tel. (800) 876-2767

www.san-agrow.com

NET CONTENT:

2.5 Gallons (9.46 L)

WEIGHT PER GALLON 9.2 LBS AT 68°F

Organic

TRIGRR®

0-0-1 Suitable for Use in Organic Food Production

PRODUCT INFORMATION

Organic TRIGRR® contains formulated with kelp and plant extracts for use on all plants. **Organic TRIGRR®** may correct minor potassium deficiencies. Potassium is important for root growth. **Organic TRIGRR®** can be mixed with other crop protection products and fertilizers and must be used as part of a complete crop management program.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENT

Wash thoroughly after handling product. Do not ingest. Avoid contact with eyes, skin or clothing. Do not breathe mist or vapor.

FIRST AID

IF ON SKIN: Take off contaminated clothing and wash before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF INHALED:** Move person to fresh air. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Rinse mouth. **Call poison control center or doctor for treatment advice if symptoms persist.**

MIXING INSTRUCTIONS

Organic TRIGRR® is water soluble and suitable for use in both organic and conventional liquid application systems.

Product Dilution: Thoroughly shake **Organic TRIGRR®** and dilute in sufficient amount of water to ensure adequate and even coverage. Examples of dilution rates are listed below (for electrostatic sprayers use 5 to 15 gallons of water per acre).

Application Method	Crop	Amount of Water/Acre
Aerial	All	3 to 20 gallons
	Field Crops	5 to 50 gallons
Ground	Row Crops	10 to 200 gallons
	Tree and Vine Crops	25 to 400 gallons

Dilution Water pH: Alkaline dilution water (pH greater than 7) should be adjusted to pH 6 or below prior to the addition of **Organic TRIGRR®**. Agitate the tank mixture during application and use within 12 hours after dilution.

Surfactants: When **Organic TRIGRR®** is used with 0.1% to 0.5% of an anionic or nonionic surfactant, it may be added to the spray mix to improve droplet spreading on the leaves.

Compatibility: **Organic TRIGRR®** can be tank mixed with organic and conventional crop protection products and fertilizers. **Organic TRIGRR®** should be added last, with agitation, to the mix tank containing other fully diluted chemicals. Test compatibility of the intended tank mixture with a standard jar test before use.

DIRECTIONS FOR USE

SHAKE VIGOROUSLY BEFORE USING.

Organic TRIGRR® can be applied to all food and non-food crops such as brassica (cole), berries, citrus, cucurbits, field vegetables, fruiting vegetables, fruit trees, grapes (raisin, table and wine), leafy vegetables, root and tuber vegetables, row crops, strawberries, tree nuts, ornamental trees, shrubs, flowers, containerized plants, lawns and turf. **Organic TRIGRR®** can be applied using all types of liquid-application equipment, including chemigation.

Foliar Applications: Apply 2 ounces to 1 quart per acre of **Organic TRIGRR®** per application of foliar fertilizers.

Soil Applications: Apply **Organic TRIGRR®** at 8 ounces to 1 quart per application of soil fertilizers.

Transplant Use: Apply **Organic TRIGRR®** with transplant fertilizer in the transplant water as a seedling or bare root soak for 30 to 60 seconds prior to transplanting at 8 fluid ounces per 100 gallons of water.

Nursery and Container Use: Apply **Organic TRIGRR®** as a soil drench with fertilizers at a rate of 1/2 quart per 100 gallons of water. Repeat application every fertilizer application.

Seed Treatment: Apply **Organic TRIGRR®** with seed treatment fertilizers directly on to the seed prior to or at planting. Apply 4 to 8 fluid ounces per acre of seed. Dilute into seed treatment solution, and apply mixture directly on to the seed.

Chemigation Applications: **Organic TRIGRR®** should be applied at the end of the irrigation cycle and in sufficient water to ensure adequate coverage. Add other desired chemicals to the supply tank, adjust pH to 7 or below and then add **Organic TRIGRR®**. The supply tank should be agitated throughout the application of **Organic TRIGRR®**.

Phytotoxicity: Perform a phytotoxicity test on a small plot before large-scale application.

Information regarding the contents and levels of metals in this product is available on the Internet at <https://www.aapfco.org/metals.html>

NOTICE OF WARRANTY – SAN Group Biotech USA, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on this label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of SAN Group Biotech USA, Inc. In no case shall SAN Group Biotech USA, Inc. be liable for consequential, special or indirect damages resulting from the use of handling of this product. SAN Group Biotech USA, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other expressed or implied warranty except as stated above.

SAN
AGROW

Manufactured & Guaranteed by:
SAN Group Biotech USA, Inc.
1260 Avenida Chelsea, Vista,
CA 92081 USA • Tel. (800) 876-2767
www.san-agrow.com

NET CONTENTS/NET WEIGHT:

■ 2.5 Gallons (9.46 L) / 23.0 Lbs (10.44 Kg)

BioLink® is a registered trademark of SAN Group Biotech USA, Inc. REV230124

