



BIOLINK[®]

AntiFoam

Keep Out of Reach of Children

Please see back panel for First Aid and additional Precautionary Statements.

Manufactured by:

SAN Group Biotech USA, Inc.

1260 Avenida Chelsea, Vista,
CA 92081 USA • Tel. (800) 876-2767
www.san-agrow.com

CA Reg. No. 51517-50003-AA • WSDA Reg. No. 51517-22005

Principal Functioning Agents:

Dimethylsiloxane polymer.....10.0%

Constituents Ineffective As Spray Adjuvants.....90.0%

TOTAL.....100.0%

All ingredients are exempt from the requirements of a tolerance as specified in 40 CFR§180.910

**Net Content:
1 Gallon (3.78 L)**

BIOLINK[®]

AntiFoam

A 10% antifoam product for as a cost effective defoamer for agricultural applications

PRODUCT INFORMATION

BioLink[®] AntiFoam is a 10% active antifoam emulsion designed for effective use in agriculture. It can be applied with most surfactants in aqueous formulations, over a broad pH range.

BioLink[®] AntiFoam is particularly effective with nonionic surfactants.

BioLink[®] AntiFoam is not for aquatic use.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Classification: Not classified

GHS label elements

Hazard pictograms: No pictogram

Signal Word: No Signal Word

Hazard statements: Not applicable

FIRST AID

If in Eyes: Rinse eyes cautiously with water for several minutes, occasionally lifting the eyelids. Check for and remove contact lenses if present and easy to do. Continue rinsing for at least 10 minutes. Get medical attention if irritation persists. **If on Skin or**

Clothing: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing and shoes before reuse. Get medical attention if irritation symptoms occur. **If inhaled:**

Remove person to fresh air and keep at rest in comfortable position for breathing. Get medical attention if adverse health effects persist or are severe. **If swallowed:** Wash mouth out with water. If exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless told to do so by a poison control center or doctor. Get medical attention if adverse health effects persist or are severe. Do not give anything to an unconscious person.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

NOTICE OF WARRANTY – SAN Group Biotech USA, Inc., warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of SAN Group Biotech USA, Inc., in no case shall SAN Group Biotech USA, Inc., be liable for

consequential, special or indirect damages resulting from the use or handling of this product. SAN Group Biotech USA, Inc. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

DIRECTIONS FOR USE

BioLink[®] AntiFoam can be used as received, or after dilution with water or other suitable process liquid. For best results, the emulsion should be mixed before use.

Dilution can be accomplished by mixing 3 to 10 parts of the selected diluent to one part **BioLink[®] AntiFoam** with gentle stirring until a uniform mixture is obtained. Continued gentle mixing of the diluted antifoam is recommended to ensure product uniformity over extended storage times.

Recommendations: Suggested starting concentrations are 75 to 300 ppm of **BioLink[®] AntiFoam** or use 1 to 4 fl. Oz./100 gallons of water. Under certain conditions, a rate of 6.67 fl. Oz./100 gallons (500ppm) may be necessary to reduce spray tank foam.

For best results, add **BioLink[®] AntiFoam** to the tank mix before adding the agricultural chemicals.

Note: The effectiveness will depend upon composition of spray mixture, temperature, etc. Adjust **BioLink[®] AntiFoam** concentration as necessary to achieve desired foam control.

STORAGE AND DISPOSAL

Storage: Store in accordance with local regulations. Store in original container, protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible material, food, and drink. Keep container closed. Do not store below 4°C as product will freeze.

Disposal: Dispose of contents and container in accordance with all local, regional, national, and international regulations.

SAN
AGROW

Manufactured by:
SAN Group Biotech USA, Inc.

1260 Avenida Chelsea, Vista,
CA 92081 USA • Tel. (800) 876-2767
www.san-agrow.com

NET CONTENTS/NET WEIGHT:

■ 1 Gallon (3.78 L) / 8.43 Lbs (3.36 Kg)



CA Reg. No. 51517-50003-AA • WSDA Reg. No. 51517-22005

REV 210928